

## Architectural Control Committee Improvement Request Form

In accordance with the recorded Declaration of Covenants and Restrictions for Fox Highlands and in order to protect each individual owners' rights and property values, it is required that any owner who is considering improvement of their deeded property to include, but not be limited to, single-family dwelling, outbuilding, fence, in-ground pool, recreational equipment, or other structures of any kind, submit the following to the Architectural Control Committee **prior to initiating work on the planned improvements:** 

- 1) A completed Architectural Control Committee Improvement Request Form.
- 2) One complete set of detailed building, deck, pool, fence, etc., grading, and landscaping drawings, prepared by licensed design consultants or contractors. The project's drawings should include layout plans with dimensions of the proposed improvements, as well as dimensions to building setbacks and property lines; elevation plans; any applicable details and cross-section plans.
- 3) A property site or plot plan showing the location with detailed dimensions to setbacks and / or property lines of the proposed improvement(s) to include concrete foundations driveways and sidewalks.
- 4) Materials list, including manufacturer, model, color, style, etc. with color photos or brochure(s) of each material.

NOTE: The above enumerated materials are required to be compiled and submitted as one (1) Adobe (.pdf) file.

Any homeowner considering any exterior improvement to their property is urged to review the recorded Declaration of Covenants and Restrictions prior to initial request. The Declaration of Covenants and Restrictions are available at <u>www.foxhighlands.com</u>.

Any Builder or Homeowner who themselves, or a contractor hired by any Builder or Homeowner causes damage to the neighborhood (i.e., nearby lots, terraces, sidewalks, curbs and gutters), is responsible for the restoration of the damaged property.

## PLEASE PRINT THE FOLLOWING INFORMATION:

Owner Name:	
Address:	
Email Address:	
Home Phone:	Cell or Work Phone:

### BRIEFLY DESCRIBE THE IMPROVEMENT THAT YOU PROPOSE:

#### WHO WILL DO THE ACTUAL WORK ON THIS IMPROVEMENT?

(Provide Company Name, Contact Person, Office Phone and Email Address):

## TYPE OF AND/OR LOCATION OF IMPROVEMENT (Check all that apply):

\_\_\_\_Single-Family Dwelling

ŀ
l

\_\_\_Roof of Dwelling In-Ground Pool

Retaining Wall

_Back of Dwelling
Side of Dwelling

\_\_\_\_Fence \_\_\_\_Recreational Equipment Other (describe):

# ESTIMATED CONSTRUCTION START DATE \_\_\_\_\_

ESTIMATED CONSTRUCTION END DATE

I understand that the Architectural Control Committee will act on this request within fifteen (15) business days of receipt of complete submission and will contact me in writing via USPS or electronic mail regarding their decision. *I agree to NOT begin property improvements without written approval from the Architectural Control Committee in accordance with the recorded Declaration of Covenants and Restrictions. I understand that all construction will meet all applicable Governmental Regulations, Building Codes and Local Municipal Ordinances and that the Architectural Control Committee approvals do not override any Governmental Regulations, Building Codes and Ordinances.* 

Deck

Owner's Printed Name	Signature	Date
Co-Owner's Printed Name	Signature	Date

Please return this completed form and single (i.e. one) attachment to: Fredric DeVillers

fad@forwarddevgroup.com



# Architectural Control Committee Improvement Review Checklist

Request Form

Property Site or Plot Plan, including all concrete foundations, driveways and sidewalks

\_\_\_\_\_Material Specifications including manufacturer, model, color, style, etc. with color photos or brochure(s) of each material

\_\_\_\_Grading Plans

Landscaping Plans

- Plans Designed by a Licensed Landscape Architect
- or
- Exhibit A is Completed

Building Plans, including layout and elevation plans, any applicable details or section plans

Minimum Square Footage

- Ranch 1750 SF
  - Two-Story 2000 SF

\_2-4 Garage Stalls

45% Brick, Stone, or Other Natural Materials at Front Elevation

6-Inch or More Fascia

- Exterior Doors and Garage Doors to be Panel Style
- Roof Pitch of 7/12 or Higher

If Chimney Constructed of Metal - to be Encased with Siding

\_\_\_Fencing Requirements

Fence Height (4 feet max unless required for in-ground swimming pool)

- 1) Powder Coated Aluminum
- 2) Wood or Wood Appearing
- 3) Painted or Stained (Cedar can remain natural)

4) Finished Side Out

5) Limited to Rear and Side Yards

Deck Requirements

1) Deck Layout Plan

2) Elevation Plan

3) Materials Specifications (make, model, color, etc.)

- 4) Railings (height, make, model, color, etc.)
- 5) Steps Layout Plan (as applicable)

Pool Requirements

\_\_\_In Ground

1) Layout Plan, including Steps, Accessories, Fencing, etc.

2) Equipment Location Plan


3) Fence Height (as required by government codes)



Date Received:				
Submission Package Complete: Yes No				
Critical Date for Required Response (15 Business Day	/s):			
Applicant Name:				
Address:				
Email:				
Home Phone:	Cell or Work Phone:			
THE REQUEST IS APPROVED AS SU	JBMITTED			
THE REQUEST IS APPROVED SUBJECT TO THE REQUIREMENTS STATED BELOW				
ACTION IS SUSPENDED PENDING SUBMISSION OF THE ITEMS LISTED BELOW				
THE REQUEST IS DISAPPROVED AS STATED BELOW				
NOTE: AN ATTACHED LETTER MAY P COMMITTEE'S ACTION THAT IS A PART (	PROVIDE ADDITIONAL DETAIL OF THE ARCHITECTURAL CONTROL OF THIS RESPONSE.			
COMMITTE	EE ACTION - TWO SIGNATURES REQUIRED			

Committee Member Printed Name	Committee Member Signature	Date
Committee Member Printed Name	Committee Member Signature	Date

LOT \_\_\_\_\_




## -MADISON | MILWAUKEE | KENOSHA | APPLETON -

0	-			
QTY.		BOTANICAL NAME	SIZE	ROOT
	ONT YARD - DECIDUOUS SHADE TREE			
1	Northern Pin Oak	Quercus ellipsoidalis	2-1/2" Cal.	B&B
	New Horizon Elm	Ulmus x 'New Horizon'	2-1/2" Cal.	B&B
	Sugar Maple	Acer saccharum	2-1/2" Cal.	B&B
R FR	ONT YARD - EVERGREEN TREE			
1	Black Hills Spruce	Picea glauca var. 'Densata'	4' Ht.	B&B
'	Austrian Pine	Pinus nigra	4'Ht.	B&B
	Norway Spuce	Picea abies	4' Ht.	B&B
C. FR	ONT YARD - LARGE DECIDUOUS SHRUB			
1	Common Witchhazel	Hamamelis virginiana	4' Ht.	B&B
	Bloodgood Japanese Maple	Acer palmatum 'Bloodgood'	4' Ht.	B&B
	Apple Serviceberry	Amelanchier x grandiflora 'Autumn Brilliance'	4' Ht.	B&B
D. FR	ONT YARD - MEDIUM DECIDUOUS SHRUE	3		
3	Annabelle Hydrandrea	Hydrangea arborescens 'Annabelle'	24"Min.Ht.	# 3 Cor
	Dart's Gold Ninebark	Physocarpus opulifolius 'Dart's Gold'	24"Min.Ht.	# 3 Cor
	Spring Green Compact Cranberrybush	Viburnum trilobum 'Spring Green'	24"Min.Ht.	# 3 Cor
E. FR(	ONT YARD - SMALL DECIDUOUS SHRUB			
3	Snowhill Hydrangea	Hydrangea arborescens 'Grandiflora'	12-18" Min. Ht.	# 2 Cor
	Bloomerang Dark Purple Lilac	Syringa x SMSJBP7'	12-18" Min. Ht.	#2 Cor
	Mount Airy Fothergilla	Fothergilla major 'Mount Airy'	12-18" Min. Ht.	#2 Coi
	ONT YARD - SMALL DECIDUOUS SHRUB			
3	Alpine Currant	RIBES alpinum	12-18" Min. Ht.	# 2 Cor
	Sonic Bloom Weigela	Weigela florida 'Verweig-6'	12-18" Min. Ht.	# 2 Cor
	Golden Guinea Japanese Kerria	Kerria japonica 'Golden Guinea'	12-18" Min. Ht.	# 2 Cor
G. FR	ONT YARD - PERENNIAL			
1	Sum and Substance Hosta	Hosta 'Sum and Substance'	10 - 12" Ht.	# 1 Cor
	Tiny Monster Geranium	Geranium 'Tiny Monster'	10 - 12" Ht.	# 1 Cor
	Autumn Frost Hosta	Hosta 'Autumn Frost'	10 - 12" Ht.	# 1 Cor
H. FR	ONT YARD - PERENNIAL			
5	Frances Williams Hosta	Hosta sieboldiana 'Frances Williams'	10 - 12" Ht.	# 1 Cor
	Wide Brim Hosta	Hosta 'Wide Brim'	10 - 12" Ht.	# 1 Cor
	Blue Angel Hosta	Hosta 'Blue Angel'	10 - 12" Ht.	# 1 Cor
	NT YARD - PERENNIAL		10 10011	
9	Astilbe Visions	Astilbe chinensis 'Visions'	10 - 12" Ht.	# 1 Cor
	Fanal Red Astilbe	Astilbe x arendsii 'Fanal'	10 - 12" Ht.	# 1 Cor
	Berry Timeless Coral Bells	Heuchera americana 'Berry Timeless'	10 - 12" Ht.	# 1 Cor
	ONT YARD - PERENNIAL			
		Later and an a test	10 10/11/1	
1	Bearded Iris	Iris germanica	10 - 12" Ht.	# 1 Cor
	Deamii Black-eyed Susan	Rudbeckia fulgida var. deamii	10 - 12" Ht.	# 1 Cor
	Walkers Low Catmint	Nepeta x faassenii 'Walkers Low'	10 - 12" Ht.	# 1 Cor
K FP	ONT YARD - PERENNIAL			
1 1	Royal Standard Hosta	Hosta 'Royal Standard'	10 - 12" Ht.	# 1 Cor
,	Zagreb Coreopsis	Coreopsis verticillata 'Zagreb'	10 - 12 Ht. 10 - 12"Ht.	# 1 Col # 1 Col
	Autumn Joy Sedum	Hylotelephium 'Herb stfreude' Autumn Joy	10 - 12 Ht. 10 - 12"Ht.	# 1 Col
	, aann ooy oodan		10-12 FIL	#100
L. FRG	ONT YARD - PERENNIAL			
9	Stella D'Oro Daylily	Hemerocallis 'Stella D'Oro'	10 - 12" Ht.	# 1 Cor
	May Night Perennial Salvia	Salvia x sylvestris 'Mainacht' May Night	10 - 12" Ht.	# 1 Cor
	Biokovo Geranium	Geranium x cantabrigiense 'Biokovo'	10 - 12" Ht.	# 1 Cor
И. ВА	CK YARD - MEDIUM DECIDUOUS SHRUB			
1	Purple Smoke Bush	Cotinus coggygria	24"Min.Ht.	# 3 Cor
	Limelight Hydrangea	Hydrangea paniculata 'Limelight'	24"Min.Ht.	# 3 Cor
	Autumn Jazz Viburnum	Viburnum dentatum 'Ralph Senior' Autumn Jazz	24"Min.Ht.	# 3 Cor
N. BA	CK YARD - UPRIGHT EVERGREEN			
1	Iowa Juniper	Juniperus chinensis 'Iowa'	4' Ht.	B&B
	Star Power Juniper	Juniperus chinensis 'Star Power'	4' Ht.	B&B
	Upright Yew	Taxus cuspidata 'Capitata'	4' Ht.	B&B
). FR	ONT & BACK YARD - ORNAMENTAL GRA	ISS		
16	Karl Foerster Feather Reed Grass	Calamagrostis x acutiflora 'Karl Foerster'	10 - 12" Ht.	# 1 Cor
	Shenandoah Red Switchgrass	Panicum virgatum 'Shenandoah'	10 - 12" Ht.	# 1 Cor
	Northwind Switchgrass	Panicum virgatum 'Northwind'	10 - 12" Ht.	# 1 Cor

SHEET TITLE: PROJECT: JSD PROJECT NUMBER: SHEET NUMBER: ISD Professional Services, Inc. FOX HIGHLANDS LANDSCAPE • Engineers • Surveyors • Planners DRAWN BY: APPROVED: L1.1 MADISON REGIONAL OFFICE 161 HORIZON DRIVE, SUITE 101 VERONA, WISCONSIN 53593 608.848.5060 PHONE 608.848.2255 FAX PLANT LIST DATE: EXHIBIT A 08/23/2017 - www.jsdinc.com

File:



### -MADISON MILWAUKEE KENOSHA APPLETON-

#### GENERAL NOTES

- GENERAL: ALL WORK IN THE R-O-W AND PUBLIC EASEMENTS SHALL BE IN ACCORDANCE WITH LOCAL MUNICIPAL REQUIREMENTS. JSD SHALL BE HELD HARMLESS AND DOES NOT WARRANT ANY DEVIATIONS BY THE OWNER/CONTRACTOR FROM THE APPROVED CONSTRUCTION PLANS THAT MAY RESULT IN DISCIPLINARY ACTIONS BY ANY OR ALL REGULATORY AGENCIES. LOCATE ALL UTILITIES PRIOR TO CONSTRUCTION. THE CONTRACTOR IS RESPONSIBLE FOR REPAIRING ANY DAMAGE DONE TO UTILITIES. CONTRACTOR MUST CALL 1-800-382-5544 FOR UTILITY LOCATIONS AT LEAST THREE DAYS PRIOR TO DIGGING. HAND DIG AND INSTALLA LPLANTS THAT ARE REAR EXISTING UTILITIES. PROTECT PREVIOUSLY INSTALLED WORK OF OTHER TRADES. CONTRACTOR IN SEPONSIBLE FOR STAKING THE PLANT MATERIALS FOR REVIEW BY OWNER PRIOR TO DIGGING AND PLACEMENT AND SHALL COORDINATE ALL FINE GRADING AND RESTORATION WITH THE GRADING CONTRACTOR. 1.
- DELIVERY AND HANDLING: DO NOT DELIVER MORE PLANT MATERIALS THAN CAN BE PLANTED IN ONE DAY, UNLESS ADEQUATE, APPROPRIATE AND SECURE STORAGE IS PROVIDED AND APPROVED BY OWNER'S REPRESENTATIVE. AT ALL TIMES, PROTECT ALL PLANT MATERIALS FROM WIND AND DIRECT SUM. DELIVER PLANTS WITH LEGIBLE IDENTIFICATION LABLES. PROTECT PLANTS DURING DELIVERY AND DO NOT PRUNE PRIOR TO DELIVERY. ALL TREES AND SHRUBS SHALL BE PLANTED ON THE DAY OF DELIVERY. IF THIS IS NOT POSSIBLE, PROTECT THE PLANT MATERIALS NOT PLANTED BY STORING THEM IN A SHADED, SECURE AREA, PROTECTING THE ROOT MASS WITH WET SOIL, MULCH, HAY OR OTHER SUITABLE MEDIUM. CONTRACTOR TO KEEP ALL PLANT MATERIALS ADEQUATELY MATERED TO PREVENT ROOT DESICCATION. DO NOT REMOVE CONTAINER GROWN STOCK FROM CONTAINERS BEFORE TIME OF PLANTING. OD ON TPICK UP CONTAINER OR BALLE PLANTS STALL PLANTS SHALL BE LIFTED AND HANDLED FROM THE BOTTOM OF THE CONTAINER OR BALL. PERFORM ACTUAL PLANTING ONLY WHEN WEATHER AND SOIL CONDITIONS ARE SUITABLE IN ACCORDANCE WITH LOCALLY ACCEPTED BEST MODIFICIENTICES. HORTICULTURAL PRACTICES.
- MATERIALS PLANTS: ALL PLANTS SHALL CONFORM TO THE AMERICAN STANDARD FOR NURSERY STOCK ANSI Z60.1–2004. PLANTS SHALL BE TRUE TO SPECIES AND VARIETY SPECIFIED AND NURSERY GROWN IN ACCORDANCE WITH GOOD HORTICULTURAL PRACTICES UNDER CLIMATIC CONDITIONS SIMILAR TO THOSE IN THE LOCALITY OF THE PROJECT FOR AT LEAST 2 YEARS. PLANTS SHALL BE FRESHLY DUG (DURING THE MOST RECENT FAVORABLE HARVEST SEASON). PLANTS SHALL BE SO TRAINED IN DEVELOPMENT AND APPEARANCE AS TO BE UNQUESTIONABLY SUPERIOR IN FORM, COMPACTNESS, AND SYMMETRY. PLANTS SHALL BE SOUND, HEALTHY, VIGOROUS, WELL BRANCHED AND DENSELY FOLITED WHEN IN LEAF, AND FREE OF DISEASE AND INSECTS (ADULT EGGS, PUPAE OR LARVAE). THEY SHALL HAVE HEALTHY, WELL-DEVELOPED ROOT SYSTEMS AND SHALL BE FREE FROM PHYSICAL DAMAGE OR OTHER CONDITIONS THAT WOULD PREVENT THRINING GROWTH. PLANTS SHALL BE OF THE HIGHEST QUALITY, POSSESS TYPICAL GROWTH HABITS AND FORM TOR THEIR SPECIES AND BEFREE OF INJURY. PARKWAY TREES AND PARKING LOT TREES SHALL HAVE A MINIMUM BRANCHING HEIGHT OF SIX (6) FEET ABOVE THE GROUND TO ALLOW ADEQUATE VISUAL AND PHYSICAL CLEARANCE. 3
- PRUNING: THE CONTRACTOR SHALL PRUNE ALL TREES AND REPAIR ANY INJURIES THAT OCCURRED DURING THE PLANTING PROCESS. DOUBLE LEADERS, DEAD BRANCHES, AND LIMBS DAMAGED OR BROKEN DURING THE PLANTING PROCESS SHALL BE PRUNED. THIS SHALL BE THE ONLY PRUNING ALLOWED AT PLANTING. PRUNING SHALL CONFORM TO AMERICAN STANDARD FOR TREE CARE OPERATIONS, ANSI A300. PRUNE TREES IN ACCORDANCE WITH NAA GUIDELINES. DO NOT TOP TREES. PRUNE SHRUBS ACCORDING TO STANDARD HORTICULTURAL PRACTICES. ON CUTS OVER 3/4" IN DIAMETER AND BRUISES OR SCARS ON BARK, TRACE THE INURED CAMBIUM LAYER BACK TO LIVING TISSUE AND REMOVE. SMOOTH AND SHAPE WOUNDS SO AS NOT TO RETAIN WATER. TREAT THE AREA WITH AN APPROVED INCONSPICUOUS LATEX BASED ANTISEPTIC TREE PAINT, IF PRUNING OCCURS "IN SEASON". DO NOT PRUNE ANY OAK TREES DURING THE MONTHS FROM APRIL TO OCTOBER.
- CLEANUP: DISPOSED OF EXCESS SOIL. REMOVE ALL CUTTINGS AND WASTE MATERIALS. SOIL, BRANCHES, BINDING AND WRAPPING MATERIALS, REJECTED PLANTS, OR OTHER DEBRIS RESULTING FROM ANY PLANTING SHALL BE PROMPTLY CLEANED UP AND REMOVED. THE WORK AREA SHALL BE KEPT SAFE AND NEAT AT ALL TIMES. UNDER NO CONDITION SHALL THE ACCUMULATION OF SOIL, BRANCHES OR OTHER DEBRIS BE ALLOWED UPON A PUBLIC PROPERTY IN SUCH A MANNER AS TO RESULT IN A PUBLIC SAFETY HAZARD. LIKEWISE, UNDER NO CIRCUMSTANCES SHALL ANY DEBRIS OR INCIDENTAL MATERIALS BE ALLOWED UPON ADJACENT PRIVATE PROPERTY.

#### LANDSCAPE MATERIAL NOTES

11:1

1 2017 23,

Aug

Plotted:

kschmidt

12.1

Layout:

dwg

23.2017).

(08.

Template

Plan

andscape

Lot

Family

Single

Highlands

1. MATERIALS – SOIL: PLANTING SOIL SHALL MEET THESE REQUIREMENTS: A. PLANTING AREAS = 24" B. TREE PITS = SEE DETAILS

- 2. PLANTING SOIL TO BE A MINIMUM 24" DEPTH, UNLESS OTHERWISE SPECIFIED AS ABOVE OR ON DETAILS. TOPSOIL TO BE CLEAN, FRIABLE LOAM FROM A LOCAL SOURCE, FREE FROM STONES OR DEBRIS OVER 3/4" IN DIAMETER, AND FREE FROM TOXINS. TOPSOIL SHALL HAVE A pH VALUE BETWEEN 6 AND 7. TOPSOIL AND PLANTING SOIL SHALL BE TESTED TO CONFORM TO THESE SPECIFICATIONS AND SHALL BE AMENDED TO MEET THESE SPECIFICATIONS. PROVIDE TEST RESULTS TO OWNER'S REPRESENTATIVE PRIOR TO PLACEMENTDO NOT PLACE FROZEN OR MUDDY TOPSOIL. APPLY SOIL AMENDMENTS TO ALL LANDSCAPE AREAS PER SOIL TEST.
- MATERIALS SHREDDED HARDWOOD BARK MULCH: ALL PLANTING AREAS LABELED ON PLAN SHALL RECEIVE CERTIFIED WEED FREE SHREDDED HARDWOOD BARK MULCH OVER ALL PLANTING AREAS. SHREDDED HARDWOOD BARK MULCH SIZE & COLOR TO BE APPROVED BY OWNER'S REPRESENTATIVE PRIOR TO INSTALLATION. FERTILIZER SHALL BE IN ACCORDANCE WITH APPLICABLE LOCAL, COUNTY AND STATE OF WISCONSIN REQUIREMENTS. <u>SHREDDED BARK MULCH AREAS SHALL NOT RECEIVE WOVEN WEED BARRER FABRIC</u>.
- MATERIALS STONE MULCH: ALL PLANTING AREAS LABELED ON PLAN SHALL RECEIVE DECORATIVE STONE MULCH SPREAD TO A CONSISTENT DEPTH OF THREE INCHES OVER ENTIRE PLANTING AREA. DECORATIVE STONE MULCH TYPE, SIZE & COLOR TO BE APPROVED BY OWNER'S REPRESENTATIVE PRIOR TO INSTALLATION. FERTILIZER SHALL BE IN ACCORDANCE WITH APPLICABLE LOCAL, COUNTY AND STATE OF WISCONSIN REQUIREMENTS. STONE MULCH AREAS SHALL RECEIVE WOVEN WEED BARRIER FABRIC.
- MATERIALS TREE & SHRUB RINGS: ALL TREES AND/OR SHRUBS PLANTED IN SEEDED LAWN AREAS TO BE INSTALLED WITH A MINIMUM 5' DIAMETER SHREDDED HARDWOOD BARK MULCH TREE RING SPREAD TO A CONSISTENT DEPTH OF 3 INCHES. ALL TREE RINGS SHOULD BE INSTALLED WITH A 5" DEPTH SHOVEL CUT EDGE, ANGLED 45 DEGREES INTO SOIL AT A 5' DIAMETER ABOUT THE CENTER OF THE TREE PLANTING. A PRE-EMERGENT GRANULAR HERBICIDE WEED-PREVENTER SHOULD BE MIXED WITH MULCH USED TO INSTALL TREE RING AS WELL AS TOPICALLY APPLIED TO FINISHED INSTALLATION OF TREE RING.
- 6. MATERIALS -MATERIALS – WEED BARRIER FABRIC: <u>ALL DECORATIVE STONE MULCH PLANTING AREAS SHALL BE INSTALLED WITH WOVEN WEED BARRIER FABRIC</u>, NO PLASTIC/IMPERVIOUS BARRIERS WILL BE PERMITTED. EXAMPLE: BLACK VISQUEEN. <u>SHREDDED HARDWOOD BARK MULCH AREAS SHALL NOT RECEIVE WOVEN WEED BARRIER FABRIC</u>,
- 7. MATERIALS EDGING: EDGING SHALL BE 5" DEEP, POLYETHYLENE EDGING. OWNER'S REPRESENTATIVE SHALL APPROVE PRODUCT SPECIFICATION PROVIDED BY LANDSCAPE CONTRACTOR
- MATERIALS SEED: DISTURBED LAWN AREAS LABELED ON PLAN AS SUCH, SHALL RECEIVE "NO MOW" FESCUE OR EQUIVALENT AS APPROVED BY THE OWNER'S REPRESENTATIVE, INSTALLED PER MANUFACTURER'S RECOMMENDATIONS. IN ADDITION TO FESCUE SEED, ANNUAL RYE SHALL BE APPLIED TO ALL DISTURBED AREAS AT A RATE OF 1 1/2 LBS PER 1000 SQUARE FEET. FERTILIZE AND MULCH 8. PER MANUFACTURER'S RECOMMENDATIONS.
- MATERIALS SEED: DISTURBED LAWN AREAS LABELED ON PLAN AS SUCH, SHALL BE SPREAD BY HAND BROADCAST METHOD OR APPROPRIATE SPREADER EQUIPMENT WITH EARTH CARPET'S 'MADISON PARKS' OR EQUIVALENT AS APPROVED BY THE OWNER'S REPRESENTATIVE, INSTALLED PER MANUFACTURER'S RECOMMENDATIONS. IN ADDITION TO LAWN SEED, ANNUAL RYE SHALL BE APPLIED TO ALL DISTURBED AREAS AT A RATE OF 1 1/2 LBS PER 1000 SQUARE FEET. FERTILIZE AND MULCH PER MANUFACTURER'S RECOMMENDATIONS. 9. IN ADDITION TO LAWN SEED. ANNUAL RYE SHALL BE APPLIED TO ALL
- MATERIALS SOD: ALL AREAS SPECIFIED ON PLAN PER THESE NOTES: TURFGRASS SOD: CLASS OF TURFGRASS SOD SHALL BE PREMIUM GRADE APPROVED TURFGRASS SOD. ONLY IMPROVED TYPES OF SOD (ELITE) ARE ACCEPTABLE. TURFGRASS SHALL BE MACHINE CUT AT A UNIFORM THICKNESS OF .60 INCH, PLUS OR MINUS .25 INCH, AT TIME OF CUTTING. MEASUREMENT FOR THICKNESS SHALL EXCLUDE TOP GROWTH AND THATCH. LARGE ROLL TURFGRASS SOD SHALL BE CUT TO THE SUPPLIER'S STANDARD WIDTH (36-48 INCHES) AND LENGTH. BROKEN FADS AND TORN OR UNEVEN ENDS WILL NOT BE ACCEPTABLE. STANDARD SIZE SECTIONS OF TURFGRASS SOD SHALL BE CUT TO THE SUPPLIER'S STANDARD WIDTH (36-48 INCHES) AND LENGTH. BROKEN FADS AND TORN OR UNEVEN ENDS WILL NOT BE ACCEPTABLE. STANDARD SIZE SECTIONS OF TURFGRASS SOD SHALL BE CUT TO THE SUPPLIER'S STANDARD WIDTH (36-48 INCHES) AND LENGTH. BROKEN FADS AND TORN ON UNEVEN ENDS WILL NOT BE HARVESTED OR TRANSPLANTED WHEN MOISTURE CONTENT IS EXCESSIVELY DRY OR WET, AS THIS MAY ADVERSELY AFFECT ITS SURVIVAL. POST-PLANT IRRIGATION WILL BE NECESSARY TO ENSURE SOD STALL BARVESTED OR TRANSPLANTED WHEN MOISTURE CONTENT IS EXCENSIBLE FOR WATERING SOD UNTIL TIME OF ACCEPTIANCE BY THE OWNER. TURFGRASS SOD SHALL BE HARVESTED. OR TRANSPLANTED WHEN MOISTURE SOD SHALL BE RELATIVELY FREE OF THATCH, UP TO .5 INCH ALLOWABLE (UNCOMPRESSED). TURFGRASS SOD SHALL BE REASONABLY FREE (10 WEEDS/100 SO. FTJ.) OF DISEASES, NEWATODES AND SOL-BORNE INSECTS. ALL TURFGRASS SOD SHALL DE FREE OF GRASSY AND BROAD LEAF WEEDS. THE SOD SUPPLIER SHALL BE REASONABLY FREE (10 WEEDS/100 SO. FTJ.) OF DISEASES, NEWATODES AND SOL-BORNE INSECTS. ALL TURFGRASS SOD SHALL DE FREE OF GRASSY AND BROAD LEAF WEEDS. THE SOD SUPPLIER SHALL MAKE RECOMMENDATIONS TO THE CONTRACTOR REGARDING WATERING SCHEDULE. THE WATERING SCHEDULE SHOULD BEGIN IMMEDIATELY AFTER SOD IS INSTALLED.
- 11. MATERIALS BIORETENTION BASIN/PRAIRIE SEED MIX: AREAS SPECIFIED ON PLAN TO BE BROADCAST SEEDED WITH "DIVERSE PRAIRIE FOR MEDIUM SOILS" SEED MIX, AS PROVIDED BY PRAIRIE NURSERY, P.O. BOX 306, WESTFIELD, WISCONSIN, 53964, TEL, 608–296–3679 (OR APPROVED EQUIVALENT). INSTALL SEED WITH SUPPLEMENTAL MATERIALS AND AMENDMENTS AS RECOMMENDED BY SEED SUPPLIER AND AT RATES AND OPTIMUM TIMES OF THE YEAR AS RECOMMENDED BY THE SEED SUPPLIER TO ENSURE SUCCESSFUL GERMINATION AND SEED/ROOT ZONE GROWTH DEVELOPMENT. REFER TO PRODUCT SPECIFICATIONS AND MANUFACTURERS RECOMMENDATIONS FOR INSTALLATION.
- BIORETENTION BASIN PLUG PLANTINGS: PLUG PLANTINGS TO BE INSTALLED 1'-6" ON CENTER, MIXING SPECIES INTEGRALLY IN FLATS OF 20 AT A TIME. REFER TO WDNR TECHNICAL STANDARDS 12. MATERIAIS FOR ROOTSTOCK AND PLUG PLANTINGS FOR BIORETENTION BASINS.

#### CONTRACTOR AND OWNER RESPONSIBILITY NOTES

- GURANTEE: THE CONTRACTOR SHALL GURANTEE ALL PLANTS THROUGH ONE (1) YEAR AFTER ACCEPTANCE BY THE OWNER'S REPRESENTATIVE. PLANTS SHALL BE ALIVE AND IN HEALTHY AND FLOURISHING CONDITION AT THE END OF THE GUARANTEE PERIOD. THE CONTRACTOR SHALL REPLACE (AT NO COST TO OWNER) ANY PLANTS THAT ARE DEAD OR NOT IN A VIGOROUS THRIVING CONDITION. REPLACEMENT PLANTS SHALL BE OF THE SAME KIND AND SIZE AS ORIGINALLY SPECIFIED UNLESS OTHERWISE DIRECTED BY OWNER'S REPRESENTATIVE. RESTORE BEDS AS NECESSARY FOLLOWING PLANT REPLACEMENT, INCLUDING BUT NOT LIMITED TO BEDDING, EDGING, MULLY, ETC. REPLACE PLANTS SMALLED AT TIME OF PLANTING. REPAIR AREAS DISTURBED IN ANY WAY DURING PLANT REPLACEMENT AT NO COST TO OWNER. CONTRACTOR SHALL PROVIDE A TWO (2)-YEAR STRAIGHTENING GUARANTEE FOR ALL TREES.
- CONTRACTOR IS RESPONSIBLE FOR STAKING THE PLANT MATERIALS FOR REVIEW BY OWNER'S REPRESENTATIVE PRIOR TO DIGGING AND PLACEMENT AND SHALL COORDINATE ALL FINE GRADING AND 2 RESTORATION WITH THE GRADING CONTRACTOR
- MAINTENANCE: (CONTRACTOR) FOR ALL PLANTINGS, SEEDED AREAS AND SODDED LAWN AREAS: THE CONTRACTOR SHALL MAINTAIN ALL PLANTINGS AND LAWN AREAS FOR A MINIMUM TIME PERIOD OF 60 DAYS, UNTIL FINAL ACCEPTANCE BY OWNER'S REPRESENTATIVE. THE CONTRACTOR IS RESPONSIBLE FOR ADEQUATELY WATERING PLANTS AND LAWN/TURFGRASS DURING THIS 60 DAY ESTABLISHMENT PERIOD. CONTRACTOR IS RESPONSIBLE FOR THE ESTABLISHMENT OF HEALTHY VIGOROUS PLANT MATERIALS AND LAWN/TURFGRASS GROWTH. CONTRACTOR IS ALSO RESPONSIBLE FOR ANY PRUNING OF PLANT MATERIALS, AND SHAPING AND/OR REPLACEMENT OF SUPPLEMENT OF DEFICIENT SHREDDED HARDWOOD BARK MULCH DURING THIS PERIOD. LONG TERM PLANT MATERIALS AND LAWN/TURFGRASS MAINTENANCE AND AND YROGRAM FOR SUCH IS THE RESPONSIBILITY OF THE OWNER. ALL PLANTINGS AND LAWN/TURFGRASS AREAS SHALL BE MAINTAINED IN A MANICURED CONDITION UNTIL THE TIME WHEN THE OWNER'S ACCEPTANCE IS GIVEN.
- MAINTENANCE: (OWNER) THE OWNER IS RESPONSIBLE FOR THE CONTINUED MAINTENANCE, REPAIR AND REPLACEMENT OF ALL LANDSCAPING MATERIALS AND WEED BARRIER FABRIC AS NECESSARY FOLLOWING THE ONE (1) YEAR CONTRACTOR GUARANTEE PERIOD.

7027\DWG\Fox		R CONTRACTOR GUARANTEE PERIOD.			
15	ICA	PROJECT:	SHEET TITLE:	JSD PROJECT NUMBER:	SHEET NUMBER:
15/	JJU Professional Services, Inc.	FOX HIGHLANDS	LANDSCAPE NOTES		
20	• Engineers • Surveyors • Planners			DRAWN BY: APPROVED:	101
$\overline{\cdot}$	MADISON REGIONAL OFFICE 161 HORIZON DRIVE, SUITE 101		EXHIBIT A		
ë.	VERONA, WISCONSIN 53593 608.848.5060 PHONE 608.848.2255 FAX			DATE:	
Ē	-			08/23/2017	
	—— www.jsdinc.com ——				